

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|-----------------|------------------|---------|------------------|
| S2 | 9 | (Address near2 lookup near2 algorithm) and @rlad<"20030721" | US-PGPUB; USPAT | SAME | ON | 2007/04/03 15:10 |
| S4 | 950 | (IP near2 address\$3 storage) same (scheme or method or algorithm) | US-PGPUB; USPAT | SAME | ON | 2007/04/03 15:44 |
| S5 | 278 | (IP near2 address\$3 storage) with (scheme or method or algorithm or technique) | US-PGPUB; USPAT | SAME | ON | 2007/04/03 15:44 |
| S6 | 27 | (IP near2 address\$3 storage) near4 (scheme or method or algorithm or technique) | US-PGPUB; USPAT | SAME | ON | 2007/04/03 15:50 |
| S7 | 90 | (IP near2 address\$3 storage) near4 (scheme or method or algorithm or technique or management) | US-PGPUB; USPAT | SAME | ON | 2007/04/03 15:46 |
| S8 | 13 | (IP near2 address\$3 storage) near3 (scheme or method or algorithm or technique) | US-PGPUB; USPAT | SAME | ON | 2007/04/03 15:54 |
| S12 | 14 | ((IP adj1 address\$3) near3 sort\$3) with (technique or method or management) | US-PGPUB; USPAT | SAME | ON | 2007/04/03 16:23 |
| S15 | 0 | ((construct or build) near3 (IP near2 address\$3 near2 lookup)) and @rlad<"20030721" | US-PGPUB; USPAT | SAME | ON | 2007/04/03 16:25 |
| S16 | 239 | ((construct or build) near3 lookup) and @rlad<"20030721" | US-PGPUB; USPAT | SAME | ON | 2007/04/03 16:26 |
| S17 | 221 | ((construct or build) near3 lookup) near2 (table or database)) and @rlad<"20030721" | US-PGPUB; USPAT | SAME | ON | 2007/04/03 16:27 |
| S18 | 0 | ((construct or build) near3 (address adj2 ookup)) near2 (table or database)) and @rlad<"20030721" | US-PGPUB; USPAT | SAME | ON | 2007/04/03 16:28 |
| S19 | 0 | ((construct or build) near3 (address adj2 lookup)) near2 (table or database)) and @rlad<"20030721" | US-PGPUB; USPAT | SAME | ON | 2007/04/03 16:28 |
| S20 | 296 | ((construct or build) near3 (address\$3 or lookup)) near2 (table or database)) and @rlad<"20030721" | US-PGPUB; USPAT | SAME | ON | 2007/04/03 16:29 |
| S21 | 0 | ((construct or build) near3 (address\$3 adj1 lookup)) near2 (table or database)) and @rlad<"20030721" | US-PGPUB; USPAT | SAME | ON | 2007/04/03 16:29 |
| S22 | 0 | ((construct or build) near5 (address\$3 adj1 lookup)) near2 (table or database)) and @rlad<"20030721" | US-PGPUB; USPAT | SAME | ON | 2007/04/03 16:30 |

EAST Search History

| | | | | | | |
|-----|-----|---|-----------------|------|----|------------------|
| S23 | 0 | ((construct or build) near5 (address\$3 adj1 lookup)) near4 (table or database)) and @rlad<"20030721" | US-PGPUB; USPAT | SAME | ON | 2007/04/03 16:30 |
| S24 | 4 | ((construct or build or create) near5 (address\$3 adj1 lookup)) near4 (table or database)) and @rlad<"20030721" | US-PGPUB; USPAT | SAME | ON | 2007/04/03 16:37 |
| S25 | 6 | (IP adj1 address adj1 storage near2 (technique or manag\$5)) | US-PGPUB; USPAT | SAME | ON | 2007/04/03 16:40 |
| S26 | 6 | ((IP adj1 address) near3 sorting) near3 (technique or method or algorithm or scheme)) | US-PGPUB; USPAT | SAME | ON | 2007/04/03 16:45 |
| S27 | 285 | (longest adj1 prefix near2 (address or match)) and @rlad<"20030721" | US-PGPUB; USPAT | SAME | ON | 2007/04/03 16:50 |
| S28 | 1 | (longest adj1 prefix near2 (address or match)) and @rlad<"20030721" and (leading adj1 bit) | US-PGPUB; USPAT | SAME | ON | 2007/04/03 16:53 |
| S29 | 13 | (prefix near2 (address or match)) and @rlad<"20030721" and (leading adj1 bit) | US-PGPUB; USPAT | SAME | ON | 2007/04/03 17:26 |
| S31 | 372 | ((sort\$3 or compress\$3) with ((IP adj address\$3) or (binary adj number))) and @rlad<"20030721" | US-PGPUB; USPAT | SAME | ON | 2007/04/05 15:36 |
| S32 | 167 | ((sort\$3 or compress\$3) near4 ((IP adj address\$3) or (binary adj number))) and @rlad<"20030721" | US-PGPUB; USPAT | SAME | ON | 2007/04/05 15:41 |
| S33 | 6 | ((sort\$3 or compress\$3) near4 ((IP adj address\$3) or (binary adj number))) and ((lead\$3 or trail\$3) near2 (bit or digit)) and @rlad<"20030721" | US-PGPUB; USPAT | SAME | ON | 2007/04/05 15:38 |
| S34 | 133 | ((sort\$3 or compress\$3) near4 (IP adj address\$3)) and @rlad<"20030721" | US-PGPUB; USPAT | SAME | ON | 2007/04/05 15:42 |
| S35 | 77 | ((sort\$3 or compress\$3) near3 (IP adj address\$3)) and @rlad<"20030721" | US-PGPUB; USPAT | SAME | ON | 2007/04/05 15:42 |
| S36 | 25 | ((sort\$3 or compress\$3) near3 (IP adj address\$3)) and (lookup) and @rlad<"20030721" | US-PGPUB; USPAT | SAME | ON | 2007/04/05 15:45 |
| S37 | 0 | ((sort\$3 near3 (IP adj address\$3)) with methold) and @rlad<"20030721" | US-PGPUB; USPAT | SAME | ON | 2007/04/05 15:47 |
| S38 | 4 | ((sort\$3 near3 (IP adj address\$3)) with method) and @rlad<"20030721" | US-PGPUB; USPAT | SAME | ON | 2007/04/05 15:48 |

EAST Search History

| | | | | | | |
|-----|----|--|--------------------|------|----|------------------|
| S39 | 45 | ((remov\$3 or strip\$3) near3 ((lead\$3 or trail\$3) near2 bit\$1)) and @rlad<"20030721" | US-PGPUB; USPAT | SAME | ON | 2007/04/05 16:00 |
| S40 | 0 | ((remov\$3 or strip\$3) near3 ((lead\$3 or trail\$3) near2 bit\$1)) same (IP near2 address)) and @rlad<"20030721" | US-PGPUB; USPAT | SAME | ON | 2007/04/05 15:52 |
| S41 | 40 | (sort near4 (IP adj address\$3)) and @rlad<"20030721" | US-PGPUB; USPAT | SAME | ON | 2007/04/05 16:10 |